
viral-ngs Documentation

Release v0.9.0

Broad Institute Viral Genomics

2015-03-18

1	Contents	1
1.1	Description of the methods	1
1.2	Installation	2
1.3	Command line tools	3
1.4	Using the Snakemake pipelines	37

Contents

1.1 Description of the methods

Much more documentation to come...

TO DO: here we will put a high level description of the various tools that exist here, perhaps with some pictures and such. We will describe why we used certain tools and approaches / how other approaches fell short / what kinds of problems certain steps are trying to solve. Perhaps some links to papers and such. Kind of a mini-methods paper here.

1.1.1 Taxonomic read filtration

Human, contaminant, and duplicate read removal

BMTAGGER

BLAST

M-Vicuna

Taxonomic selection

LASTAL

1.1.2 Viral genome analysis

Viral genome assembly

de novo genome assembly with [Trinity](#). Reference-assisted assembly improvements (scaffolding, orienting, etc) with [VFAT](#) (which relies on [MUSCLE](#)).

We then do two rounds of assembly improvement ([Novoalign](#) and [GATK](#)).

Intrahost variant identification

Intrahost variants (iSNVs) are identified from deep sequence coverage using [V-Phaser2](#). For each sample, reads are first aligned to their own consensus genome with Novoalign, followed by duplicate read removal with Picard and local realignment with GATK IndelRealigner. V-Phaser2 is called on each sample to produce a set of iSNV calls.

(then stuff about strand bias filter, then stuff about library counts)

(then stuff about remapping all calls back to the reference assembly's coordinate space and alleles using [MUSCLE](#), and merging calls across all samples together, emitting in VCF format)

iSNVs are then annotated with [snpEff](#) and provided in both VCF and tabular text formats.

1.1.3 Taxonomic read identification

Nothing here at the moment. That comes later, but we will later integrate it when it's ready.

1.2 Installation

1.2.1 System dependencies

This is known to install cleanly on most modern Linux systems with Python, Java, and some basic development libraries. On Ubuntu 14.04 LTS, the following APT packages should be installed on top of the vanilla setup:

```
python3 python3-pip python3-nose
python-software-properties
```

Java ≥ 1.7 is required by GATK and Picard.

1.2.2 Python dependencies

The **command line tools** require Python ≥ 2.7 or ≥ 3.4 . Required packages (pysam and Biopython) are listed in requirements.txt and can be installed the usual pip way:

```
pip install -r requirements.txt
```

Additionally, in order to use the **pipeline infrastructure**, Python 3.4 is required (Python 2 is not supported) and you must install snakemake as well:

```
pip install -r requirements-pipes.txt
```

However, most of the real functionality is encapsulated in the command line tools, which can be used without any of the pipeline infrastructure.

You should either `sudo pip install` or use a virtualenv (recommended).

1.2.3 Tool dependencies

A lot of effort has gone into writing auto download/compile wrappers for most of the bioinformatic tools we rely on here. They will auto-download and install the first time they are needed by any command. If you want to pre-install all of the external tools, simply type this:

```
python -m unittest test.test_tools.TestToolsInstallation -v
```

However, there are two tools in particular that cannot be auto-installed due to licensing restrictions. You will need to download and install these tools on your own (paying for it if your use case requires it) and set environment variables pointing to their installed location.

- GATK - <http://www.broadinstitute.org/gatk/>

- Novoalign - <http://www.novocraft.com/products/novoalign/>

The environment variables you will need to set are GATK_PATH and NOVOALIGN_PATH. These should be set to the full directory path that contains these tools (the jar file for GATK and the executable binaries for Novoalign).

Alternatively, if you are using the Snakemake pipelines, you can create a dictionary called “env_vars” in the config.json file for Snakemake, and the pipelines will automatically set all environment variables prior to running any scripts.

The version of MOSAIK we use seems to fail compile on GCC-4.9 but compiles fine on GCC-4.4. We have not tried intermediate versions of GCC, nor the latest versions of MOSAIK.

1.3 Command line tools

1.3.1 taxon_filter.py - tools for taxonomic removal or filtration of reads

This script contains a number of utilities for filtering NGS reads based on membership or non-membership in a species / genus / taxonomic grouping.

usage: taxon_filter.py subcommand

Sub-commands:

deplete_human Undocumented

Run the entire depletion pipeline: bmtagger, mvicuna, blastn. Optionally, use lastal to select a specific taxon of interest.

```
usage: taxon_filter.py deplete_human [-h] [--taxfiltBam TAXFILTBAM]
                                     --bmtaggerDbs BMTAGGERDBS
                                     [BMTAGGERDBS ...] --blastDbs BLASTDBS
                                     [BLASTDBS ...] [--lastDb LASTDB]
                                     [--JVMmemory JVMMEMORY]
                                     [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inBam revertBam bmtaggerBam rmdupBam
                                     blastnBam
```

Positional arguments:

inBam	Input BAM file.
revertBam	Output BAM: read markup reverted with Picard.
bmtaggerBam	Output BAM: depleted of human reads with BMTagger.
rmdupBam	Output BAM: bmtaggerBam run through M-Vicuna duplicate removal.
blastnBam	Output BAM: rmdupBam run through another depletion of human reads with BLASTN.

Options:

--taxfiltBam	Output BAM: blastnBam run through taxonomic selection via LASTAL.
--bmtaggerDbs	Reference databases (one or more) to deplete from input. For each db, requires prior creation of db.bitmask by bmtool, and db.srprism.idx, db.srprism.map, etc. by srprism mkindex.

--blastDbs	One or more reference databases for blast to deplete from input.
--lastDb	One reference database for last (required if <code>--taxfiltBam</code> is specified).
--JVMmemory=4g	JVM virtual memory size for Picard FilterSamReads (default: <code>%(default)s</code>)
--loglevel=DEBUG	Verboseness of output. [default: <code>%(default)s</code>] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: <code>%(default)s</code>]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

trim_trimmomatic Undocumented

Trim read sequences with Trimmomatic.

```
usage: taxon_filter.py trim_trimmomatic [-h]
                                     [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inFastq1 inFastq2 pairedOutFastq1
                                     pairedOutFastq2 clipFasta
```

Positional arguments:

inFastq1	Input reads 1
inFastq2	Input reads 2
pairedOutFastq1	Paired output 1
pairedOutFastq2	Paired output 2
clipFasta	Fasta file with adapters, PCR sequences, etc. to clip off

Options:

--loglevel=DEBUG	Verboseness of output. [default: <code>%(default)s</code>] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: <code>%(default)s</code>]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

filter_lastal_bam Undocumented

Restrict input reads to those that align to the given reference database using LASTAL.

```
usage: taxon_filter.py filter_lastal_bam [-h] [--JVMmemory JVMMEMORY]
                                     [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inBam db outBam
```

Positional arguments:

inBam	Input reads
db	Database of taxa we keep
outBam	Output reads, filtered to refDb

Options:

--JVMmemory=4g	JVM virtual memory size (default: %(default)s)
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

filter_lastal Undocumented

Restrict input reads to those that align to the given reference database using LASTAL. Also, remove duplicates with prinseq.

```
usage: taxon_filter.py filter_lastal [-h]
                                   [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                   [--version] [--tmpDir TMPDIR]
                                   [--tmpDirKeep]
                                   inFastq refDb outFastq
```

Positional arguments:

inFastq	Input fastq file
refDb	Reference database to retain from input
outFastq	Output fastq file

Options:

--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

partition_bmtagger Undocumented

Use bmtagger to partition input reads into ones that match at least one of several databases and ones that don't match any of the databases.

```
usage: taxon_filter.py partition_bmtagger [-h] [--outMatch OUTMATCH OUTMATCH]
                                           [--outNoMatch OUTNOMATCH OUTNOMATCH]
                                           [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                           [--version] [--tmpDir TMPDIR]
                                           [--tmpDirKeep]
```

```
inFastq1 inFastq2 refDbs
[refDbs ...]
```

Positional arguments:

inFastq1	Input fastq file; 1st end of paired-end reads.
inFastq2	Input fastq file; 2nd end of paired-end reads. Must have same names as inFastq1
refDbs	Reference databases (one or more) to deplete from input. For each db, requires prior creation of db.bitmask by bmtool, and db.srprism.idx, db.srprism.map, etc. by srprism mkindex.

Options:

--outMatch	Filenames for fastq output of matching reads.
--outNoMatch	Filenames for fastq output of unmatched reads.
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

deplete_bam_bmtagger Undocumented

Use bmtagger to deplete input reads against several databases.

```
usage: taxon_filter.py deplete_bam_bmtagger [-h] [--JVMmemory JVMMEMORY]
                                           [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                           [--version] [--tmpDir TMPDIR]
                                           [--tmpDirKeep]
                                           inBam refDbs [refDbs ...] outBam
```

Positional arguments:

inBam	Input BAM file.
refDbs	Reference databases (one or more) to deplete from input. For each db, requires prior creation of db.bitmask by bmtool, and db.srprism.idx, db.srprism.map, etc. by srprism mkindex.
outBam	Output BAM file.

Options:

--JVMmemory=4g	JVM virtual memory size (default: %(default)s)
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

deplete_blastn Undocumented

Use blastn to remove reads that match at least one of the databases.

```
usage: taxon_filter.py deplete_blastn [-h]
                                     [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inFastq outFastq refDbs [refDbs ...]
```

Positional arguments:

inFastq	Input fastq file.
outFastq	Output fastq file with matching reads removed.
refDbs	One or more reference databases for blast.

Options:

--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

deplete_blastn_paird Undocumented

Use blastn to remove reads that match at least one of the databases.

```
usage: taxon_filter.py deplete_blastn_paird [-h]
                                             [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL}]
                                             [--version] [--tmpDir TMPDIR]
                                             [--tmpDirKeep]
                                             infq1 infq2 outfq1 outfq2 refDbs
                                             [refDbs ...]
```

Positional arguments:

infq1	Input fastq file.
infq2	Input fastq file.
outfq1	Output fastq file with matching reads removed.
outfq2	Output fastq file with matching reads removed.
refDbs	One or more reference databases for blast.

Options:

--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

deplete_blastn_bam Undocumented

Use blastn to remove reads that match at least one of the specified databases.

```
usage: taxon_filter.py deplete_blastn_bam [-h] [--chunkSize CHUNKSIZE]
                                         [--JVMmemory JVMMEMORY]
                                         [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL}]
                                         [--version] [--tmpDir TMPDIR]
                                         [--tmpDirKeep]
                                         inBam refDbs [refDbs ...] outBam
```

Positional arguments:

inBam	Input BAM file.
refDbs	One or more reference databases for blast.
outBam	Output BAM file with matching reads removed.

Options:

--chunkSize=1000000	FASTA chunk size (default: %(default)s)
--JVMmemory=4g	JVM virtual memory size (default: %(default)s)
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

1.3.2 assembly.py - *de novo* assembly

This script contains a number of utilities for viral sequence assembly from NGS reads. Primarily used for Lassa and Ebola virus analysis in the Sabeti Lab / Broad Institute Viral Genomics.

```
usage: assembly.py subcommand
```

Sub-commands:

trim_rmdup_subsamp Undocumented

Take reads through Trimmomatic, Prinseq, and subsampling. This should probably move over to read_utils or taxon_filter.

```
usage: assembly.py trim_rmdup_subsamp [-h] [--n_reads N_READS]
                                         [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL}]
                                         [--version] [--tmpDir TMPDIR]
                                         [--tmpDirKeep]
                                         inBam clipDb outBam
```

Positional arguments:

inBam	Input reads, unaligned BAM format.
clipDb	Trimmomatic clip DB.

outBam Output reads, unaligned BAM format (currently, read groups and other header information are destroyed in this process).

Options:

--n_reads=100000 Subsample reads to no more than this many pairs. (default %(default)s)

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

assemble_trinity Undocumented

This step runs the Trinity assembler. First trim reads with trimmomatic, rmdup with prinseq, and random subsample to no more than 100k reads.

```
usage: assembly.py assemble_trinity [-h] [--n_reads N_READS]
                                   [--outReads OUTREADS]
                                   [--JVMmemory JVMMEMORY]
                                   [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL,
                                   [--version] [--tmpDir TMPDIR]
                                   [--tmpDirKeep]
                                   inBam clipDb outFasta
```

Positional arguments:

inBam Input unaligned reads, BAM format.

clipDb Trimmomatic clip DB.

outFasta Output assembly.

Options:

--n_reads=100000 Subsample reads to no more than this many pairs. (default %(default)s)

--outReads Save the trimmomatic/prinseq/subsamp reads to a BAM file

--JVMmemory=4g JVM virtual memory size (default: %(default)s)

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

order_and_orient Undocumented

This step cleans up the Trinity assembly with a known reference genome. Uses VFAT (switch to Bellini later): Take the Trinity contigs, align them to the known reference genome, switch it to the same strand as the reference, and produce chromosome-level assemblies (with runs of N's in between the Trinity contigs).

```
usage: assembly.py order_and_orient [-h] [--inReads INREADS]
                                     [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inFasta inReference outFasta
```

Positional arguments:

inFasta	Input de novo assembly/contigs, FASTA format.
inReference	Reference genome for ordering, orienting, and merging contigs, FASTA format.
outFasta	Output assembly, FASTA format, with the same number of chromosomes as inReference, and in the same order.

Options:

--inReads	Input reads in unaligned BAM format. These can be used to improve the merge process.
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

impute_from_reference Undocumented

This takes a de novo assembly, aligns against a reference genome, and imputes all missing positions (plus some of the chromosome ends) with the reference genome. This provides an assembly with the proper structure (but potentially wrong sequences in areas) from which we can perform further read-based refinement. Two steps: `filter_short_seqs`: We then toss out all assemblies that come out to < 15kb or < 95% unambiguous and fail otherwise. `modify_contig`: Finally, we trim off anything at the end that exceeds the length of the known reference assembly. We also replace all Ns and everything within 55bp of the chromosome ends with the reference sequence. This is clearly incorrect consensus sequence, but it allows downstream steps to map reads in parts of the genome that would otherwise be Ns, and we will correct all of the inferred positions with two steps of read-based refinement (below), and revert positions back to Ns where read support is lacking. FASTA indexing: output assembly is indexed for Picard, Samtools, Novoalign.

```
usage: assembly.py impute_from_reference [-h] [--newName NEWNAME]
                                          [--minLength MINLENGTH]
                                          [--minUnambig MINUNAMBIG]
                                          [--replaceLength REPLACELENGTH]
                                          [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,
                                          [--version] [--tmpDir TMPDIR]
                                          [--tmpDirKeep]
                                          inFasta inReference outFasta
```

Positional arguments:

inFasta	Input assembly/contigs, FASTA format, already ordered, oriented and merged with inReference.
inReference	Reference genome to impute with, FASTA format.
outFasta	Output assembly, FASTA format.

Options:

--newName	rename output chromosome (default: do not rename)
--minLength=0	minimum length for contig (default: %(default)s)
--minUnambig=0.0	minimum percentage unambiguous bases for contig (default: %(default)s)
--replaceLength=0	length of ends to be replaced with reference (default: %(default)s)
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

refine_assembly Undocumented

This is a refinement step where we take a crude assembly, align all reads back to it, and modify the assembly to the majority allele at each position based on read pileups. This step considers both SNPs as well as indels called by GATK and will correct the consensus based on GATK calls. Reads are aligned with Novoalign, then PCR duplicates are removed with Picard (in order to debias the allele counts in the pileups), and realigned with GATK's IndelRealigner (in order to call indels). Output FASTA file is indexed for Picard, Samtools, and Novoalign.

```
usage: assembly.py refine_assembly [-h] [--outBam OUTBAM] [--outVcf OUTVCF]
                                   [--min_coverage MIN_COVERAGE]
                                   [--novo_params NOVO_PARAMS]
                                   [--chr_names [CHR_NAMES [CHR_NAMES ...]]]
                                   [--keep_all_reads] [--JVMmemory JVMMEMORY]
                                   [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                   [--version] [--tmpDir TMPDIR]
                                   [--tmpDirKeep]
                                   inFasta inBam outFasta
```

Positional arguments:

inFasta	Input assembly, FASTA format, pre-indexed for Picard, Samtools, and Novoalign.
inBam	Input reads, unaligned BAM format.
outFasta	Output refined assembly, FASTA format, indexed for Picard, Samtools, and Novoalign.

Options:

--outBam	Reads aligned to inFasta. Unaligned and duplicate reads have been removed. GATK indel realigned.
-----------------	--

--outVcf GATK genotype calls for genome in inFasta coordinate space.

--min_coverage=3 Minimum read coverage required to call a position unambiguous.

--novo_params=-r Random -l 40 -g 40 -x 20 -t 100 Alignment parameters for Novoalign.

--chr_names=[] Rename all output chromosomes (default: retain original chromosome names)

--keep_all_reads=False Retain all reads in BAM file? Default is to remove unaligned and duplicate reads.

--JVMmemory=2g JVM virtual memory size (default: %(default)s)

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

filter_short_seqs Undocumented

Check sequences in inFile, retaining only those that are at least minLength

```
usage: assembly.py filter_short_seqs [-h] [-f FORMAT] [-of OUTPUT_FORMAT]
                                     [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL}]
                                     [--version]
                                     inFile minLength minUnambig outFile
```

Positional arguments:

inFile input sequence file

minLength minimum length for contig

minUnambig minimum percentage unambiguous bases for contig

outFile output file

Options:

-f=fasta, --format=fasta Format for input sequence (default: %(default)s)

-of=fasta, --output-format=fasta Format for output sequence (default: %(default)s)

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

modify_contig Undocumented

Modifies an input contig. Depending on the options selected, can replace N calls with reference calls, replace ambiguous calls with reference calls, trim to the length of the reference, replace contig ends with reference calls, and trim leading and trailing Ns. Author: rsealfon.

```
usage: assembly.py modify_contig [-h] [-n NAME] [-cn] [-t] [-r5] [-r3]
                                [-l REPLACE_LENGTH] [-f FORMAT] [-r] [-rn]
                                [-ca] [--tmpDir TMPDIR] [--tmpDirKeep]
                                [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXC
                                [--version]
                                input output ref
```

Positional arguments:

input	input alignment of reference and contig (should contain exactly 2 sequences)
output	Destination file for modified contigs
ref	reference sequence name (exact match required)

Options:

-n, --name	fasta header output name (default: existing header)
-cn=False, --call-reference-ns=False	should the reference sequence be called if there is an N in the contig and a more specific base in the reference (default: %(default)s)
-t=False, --trim-ends=False	should ends of contig.fasta be trimmed to length of reference (default: %(default)s)
-r5=False, --replace-5ends=False	should the 5'-end of contig.fasta be replaced by reference (default: %(default)s)
-r3=False, --replace-3ends=False	should the 3'-end of contig.fasta be replaced by reference (default: %(default)s)
-l=10, --replace-length=10	length of ends to be replaced (if replace-ends is yes) (default: %(default)s)
-f=fasta, --format=fasta	Format for input alignment (default: %(default)s)
-r=False, --replace-end-gaps=False	Replace gaps at the beginning and end of the sequence with reference sequence (default: %(default)s)
-rn=False, --remove-end-ns=False	Remove leading and trailing N's in the contig (default: %(default)s)
-ca=False, --call-reference-ambiguous=False	should the reference sequence be called if the contig seq is ambiguous and the reference sequence is more informative & consistent with the ambiguous base (ie Y->C) (default: %(default)s)
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit

vcf_to_fasta Undocumented

Take input genotypes (VCF) and construct a consensus sequence (fasta) by using majority-read-count alleles in the VCF. Genotypes in the VCF will be ignored—we will use the allele with majority read support

(or an ambiguity base if there is no clear majority). Uncalled positions will be emitted as N's. Author: dpark.

```
usage: assembly.py vcf_to_fasta [-h] [--trim_ends] [--min_coverage MIN_DP]
                                [--major_cutoff MAJOR_CUTOFF]
                                [--min_dp_ratio MIN_DP_RATIO]
                                [--name [NAME [NAME ...]]]
                                [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                [--version]
                                inVcf outFasta
```

Positional arguments:

inVcf	Input VCF file
outFasta	Output FASTA file

Options:

--trim_ends=False	If specified, we will strip off continuous runs of N's from the beginning and end of the sequences before writing to output. Interior N's will not be changed.
--min_coverage=3	Specify minimum read coverage (with full agreement) to make a call. [default: %(default)s]
--major_cutoff=0.5	If the major allele is present at a frequency higher than this cutoff, we will call an unambiguous base at that position. If it is equal to or below this cutoff, we will call an ambiguous base representing all possible alleles at that position. [default: %(default)s]
--min_dp_ratio=0.0	The input VCF file often reports two read depth values (DP)—one for the position as a whole, and one for the sample in question. We can optionally reject calls in which the sample read count is below a specified fraction of the total read count. This filter will not apply to any sites unless both DP values are reported. [default: %(default)s]
--name=[]	output sequence names (default: reference names in VCF file)
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit

trim_fasta Undocumented

Take input sequences (fasta) and trim any continuous sections of N's from the ends of them. Write trimmed sequences to an output fasta file.

```
usage: assembly.py trim_fasta [-h]
                                [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                [--version]
                                inFasta outFasta
```

Positional arguments:

inFasta	Input fasta file
outFasta	Output (trimmed) fasta file

Options:

- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit

deambig_fasta Undocumented

Take input sequences (fasta) and replace any ambiguity bases with a random unambiguous base from among the possibilities described by the ambiguity code. Write output to fasta file.

```
usage: assembly.py deambig_fasta [-h]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXC
                                [--version]
                                inFasta outFasta
```

Positional arguments:

- inFasta** Input fasta file
- outFasta** Output fasta file

Options:

- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit

dpdiff Undocumented

Take input VCF files (all with only one sample each) and report on the discrepancies between the two DP fields (one in INFO and one in the sample's genotype column).

```
usage: assembly.py dpdiff [-h]
                          [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}
                          [--version]
                          inVcfs [inVcfs ...] outFile
```

Positional arguments:

- inVcfs** Input VCF file
- outFile** Output flat file

Options:

- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit

1.3.3 interhost.py - species and population-level genetic variation

This script contains a number of utilities for SNP calling, multi-alignment, phylogenetics, etc.

```
usage: interhost.py subcommand
```

Sub-commands:

snpEff Undocumented

Annotate variants in VCF file with translation consequences using snpEff.

```
usage: interhost.py snpEff [-h] [--tmpDir TMPDIR] [--tmpDirKeep]
                          [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                          [--version]
                          inVcf genome outVcf
```

Positional arguments:

inVcf	Input VCF file
genome	genome name
outVcf	Output VCF file

Options:

--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit

1.3.4 intrahost.py - within-host genetic variation (iSNVs)

This script contains a number of utilities for intrahost variant calling and annotation for viral genomes.

```
usage: intrahost.py subcommand
```

Sub-commands:**vphaser_one_sample** Undocumented

Input: a single BAM file, representing reads from one sample, mapped to its own consensus assembly. It may contain multiple read groups and libraries. Output: a tab-separated file with no header containing filtered V Phaser-2 output variants with additional column for sequence/chrom name, and library counts and p-values appended to the counts for each allele.

```
usage: intrahost.py vphaser_one_sample [-h]
                                         [--vphaserNumThreads VPHASERNUMTHREADS]
                                         [--minReadsEach MINREADSEACH]
                                         [--maxBias MAXBIAS]
                                         [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                         [--version]
                                         inBam inConsFasta outTab
```

Positional arguments:

inBam	Input Bam file.
inConsFasta	Consensus assembly fasta.
outTab	Tab-separated headerless output file.

Options:

--vphaserNumThreads	Number of threads in call to V-Phaser 2.
----------------------------	--

--minReadsEach=5 Minimum number of reads on each strand (default: %(default)s).

--maxBias=10 Maximum allowable ratio of number of reads on the two strands (default: %(default)s). Ignored if minReadsEach = 0.

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

vphaser Undocumented

Run V-Phaser 2 on the input file without any additional filtering. Combine the non-header lines of the CHROM.var.raw.txt files it produces, adding CHROM as the first field on each line.

```
usage: intrahost.py vphaser [-h] [--numThreads NUMTHREADS]
                           [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                           [--version]
                           inBam outTab
```

Positional arguments:

inBam Input Bam file.

outTab Tab-separated headerless output file.

Options:

--numThreads Number of threads in call to V-Phaser 2.

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

tabfile_rename Undocumented

Take input tab file and copy to an output file while changing the values in a specific column based on a mapping file. The first line will pass through untouched (it is assumed to be a header).

```
usage: intrahost.py tabfile_rename [-h] [--col_idx COL]
                                   [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                   [--version]
                                   inFile mapFile outFile
```

Positional arguments:

inFile Input flat file

mapFile Map file. Two-column headerless file that maps input values to output values. This script will error if there are values in inFile that do not exist in mapFile.

outFile Output flat file

Options:

--col_idx=0 Which column number to replace (0-based index). [default: %(default)s]

--loglevel=DEBUG Verboseness of output. [default: %(default)s]

Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

merge_to_vcf Undocumented

Combine and convert vPhaser2 parsed filtered output text files into VCF format. Assumption: consensus assemblies do not extend beyond ends of reference.

```
usage: intrahost.py merge_to_vcf [-h] --samples SAMPLES [SAMPLES ...] --isnvs
                                ISNVS [ISNVS ...] --assemblies ASSEMBLIES
                                [ASSEMBLIES ...] [--strip_chr_version]
                                [--naive_filter]
                                [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXC
                                [--version]
                                refFasta outVcf
```

Positional arguments:

refFasta The target reference genome. outVcf will use these chromosome names, coordinate spaces, and reference alleles

outVcf Output VCF file containing all variants

Options:

--samples A list of sample names

--isnvs A list of file names from the output of vphaser_one_sample. These must be in the SAME ORDER as samples.

--assemblies a list of consensus fasta files that were used as the per-sample reference genomes for generating isnvs. These must be in the SAME ORDER as samples.

--strip_chr_version=False If set, strip any trailing version numbers from the chromosome names. If the chromosome name ends with a period followed by integers, this is interpreted as a version number to be removed. This is because Genbank accession numbers are often used by SnpEff databases downstream, but without the corresponding version number. Default is false (leave chromosome names untouched).

--naive_filter=False If set, keep only the alleles that have at least two independent libraries of support and allele freq > 0.005. Default is false (do not filter at this stage).

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

Fws Undocumented

Compute the Fws statistic on iSNV data. See Manske, 2012 (Nature)

```
usage: intrahost.py Fws [-h]
                        [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                        [--version]
                        inVcf outVcf
```

Positional arguments:

inVcf	Input VCF file
outVcf	Output VCF file

Options:

--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit

iSNV_table Undocumented

Convert VCF iSNV data to tabular text

```
usage: intrahost.py iSNV_table [-h]
                               [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                               [--version]
                               inVcf outFile
```

Positional arguments:

inVcf	Input VCF file
outFile	Output text file

Options:

--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit

iSNP_per_patient Undocumented

Aggregate tabular iSNP data per patient x position (all time points averaged)

```
usage: intrahost.py iSNP_per_patient [-h]
                                       [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                       [--version]
                                       inFile outFile
```

Positional arguments:

inFile	Input text file
outFile	Output text file

Options:

--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit

1.3.5 read_utils.py - utilities that manipulate bam and fastq files

Utilities for working with sequence reads, such as converting formats and fixing mate pairs.

usage: read_utils.py subcommand

Sub-commands:

purge_unmated Undocumented

Use mergeShuffledFastqSeqs to purge unmated reads, and put corresponding reads in the same order. Corresponding sequences must have sequence identifiers of the form SEQID/1 and SEQID/2.

```
usage: read_utils.py purge_unmated [-h] [--regex REGEX]
                                     [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inFastq1 inFastq2 outFastq1 outFastq2
```

Positional arguments:

inFastq1	Input fastq file; 1st end of paired-end reads.
inFastq2	Input fastq file; 2nd end of paired-end reads.
outFastq1	Output fastq file; 1st end of paired-end reads.
outFastq2	Output fastq file; 2nd end of paired-end reads.

Options:

--regex=^@(\S+)/[1 2]\$	Perl regular expression to parse paired read IDs (default: <code>%(\default)s</code>)
--loglevel=DEBUG	Verboseness of output. [default: <code>%(\default)s</code>] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: <code>%(\default)s</code>]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

fastq_to_fasta Undocumented

Convert from fastq format to fasta format.

```
usage: read_utils.py fastq_to_fasta [-h]
                                     [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inFastq outFasta
```

Positional arguments:

inFastq	Input fastq file.
outFasta	Output fasta file.

Options:

- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit
- tmpDir=/tmp** Base directory for temp files. [default: %(default)s]
- tmpDirKeep=False** Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

index_fasta_samtools Undocumented

Index a reference genome for Samtools.

```
usage: read_utils.py index_fasta_samtools [-h]
                                     [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                     [--version]
                                     inFasta
```

Positional arguments:

- inFasta** Reference genome, FASTA format.

Options:

- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit

index_fasta_picard Undocumented

Create an index file for a reference genome suitable for Picard/GATK.

```
usage: read_utils.py index_fasta_picard [-h] [--JVMmemory JVMMEMORY]
                                     [--picardOptions [PICARDOPTIONS [PICARDOPTIONNAME=value ...]]]
                                     [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inFasta
```

Positional arguments:

- inFasta** Input reference genome, FASTA format.

Options:

- JVMmemory=512m** JVM virtual memory size (default: %(default)s)
- picardOptions=[]** Optional arguments to Picard's CreateSequenceDictionary, OPTIONNAME=value ...
- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit
- tmpDir=/tmp** Base directory for temp files. [default: %(default)s]
- tmpDirKeep=False** Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

mkdup_picard Undocumented

Mark or remove duplicate reads from BAM file.

```
usage: read_utils.py mkdup_picard [-h] [--outMetrics OUTMETRICS] [--remove]
                                   [--JVMmemory JVMMEMORY]
                                   [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                                   [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                   [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                   inBams [inBams ...] outBam
```

Positional arguments:

inBams	Input reads, BAM format.
outBam	Output reads, BAM format.

Options:

--outMetrics	Output metrics file. Default is to dump to a temp file.
--remove=False	Instead of marking duplicates, remove them entirely (default: %(default)s)
--JVMmemory=2g	JVM virtual memory size (default: %(default)s)
--picardOptions=[]	Optional arguments to Picard's MarkDuplicates, OPTION-NAME=value ...
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

revert_bam_picard Undocumented

Revert BAM to raw reads

```
usage: read_utils.py revert_bam_picard [-h] [--JVMmemory JVMMEMORY]
                                         [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                                         [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                         [--version] [--tmpDir TMPDIR]
                                         [--tmpDirKeep]
                                         inBam outBam
```

Positional arguments:

inBam	Input reads, BAM format.
outBam	Output reads, BAM format.

Options:

--JVMmemory=2g	JVM virtual memory size (default: %(default)s)
--picardOptions=[]	Optional arguments to Picard's RevertSam, OPTION-NAME=value ...

- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit
- tmpDir=/tmp** Base directory for temp files. [default: %(default)s]
- tmpDirKeep=False** Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

picard Undocumented

Generic Picard runner.

```
usage: read_utils.py picard [-h] [--JVMmemory JVMMEMORY]
                             [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                             [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                             [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                             command
```

Positional arguments:

command	picard command
----------------	----------------

Options:

- JVMmemory=2g** JVM virtual memory size (default: %(default)s)
- picardOptions=[]** Optional arguments to Picard, OPTIONNAME=value ...
- loglevel=DEBUG** Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
- version, -V** show program's version number and exit
- tmpDir=/tmp** Base directory for temp files. [default: %(default)s]
- tmpDirKeep=False** Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

sort_bam Undocumented

Sort BAM file

```
usage: read_utils.py sort_bam [-h] [--index] [--md5] [--JVMmemory JVMMEMORY]
                              [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                              [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                              [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                              inBam outBam {unsorted,queryname,coordinate}
```

Positional arguments:

inBam	Input bam file.
outBam	Output bam file, sorted.
sortOrder	How to sort the reads. [default: %(default)s] Possible choices: unsorted, queryname, coordinate

Options:

- index=False** Index outBam (default: %(default)s)

--md5=False	MD5 checksum outBam (default: %(default)s)
--JVMmemory=2g	JVM virtual memory size (default: %(default)s)
--picardOptions=[]	Optional arguments to Picard's SortSam, OPTIONNAME=value ...
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

merge_bams Undocumented

Merge multiple BAMs into one

```
usage: read_utils.py merge_bams [-h] [--JVMmemory JVMMEMORY]
                                [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                inBams [inBams ...] outBam
```

Positional arguments:

inBams	Input bam files.
outBam	Output bam file.

Options:

--JVMmemory=2g	JVM virtual memory size (default: %(default)s)
--picardOptions=[]	Optional arguments to Picard's MergeSamFiles, OPTIONNAME=value ...
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

filter_bam Undocumented

Filter BAM file by read name

```
usage: read_utils.py filter_bam [-h] [--exclude] [--JVMmemory JVMMEMORY]
                                [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                inBam readList outBam
```

Positional arguments:

inBam	Input bam file.
--------------	-----------------

readList Input file of read IDs.

outBam Output bam file.

Options:

--exclude=False If specified, readList is a list of reads to remove from input. Default behavior is to treat readList as an inclusion list (all unnamed reads are removed).

--JVMmemory=4g JVM virtual memory size (default: %(default)s)

--picardOptions=[] Optional arguments to Picard's FilterSamReads, OPTION-NAME=value ...

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

bam_to_fastq Undocumented

Convert a bam file to a pair of fastq paired-end read files and optional text header.

```
usage: read_utils.py bam_to_fastq [-h] [--outHeader OUTHEADER]
                                   [--JVMmemory JVMMEMORY]
                                   [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                                   [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                   [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                   inBam outFastq1 outFastq2
```

Positional arguments:

inBam Input bam file.

outFastq1 Output fastq file; 1st end of paired-end reads.

outFastq2 Output fastq file; 2nd end of paired-end reads.

Options:

--outHeader Optional text file name that will receive bam header.

--JVMmemory=2g JVM virtual memory size (default: %(default)s)

--picardOptions=[] Optional arguments to Picard's SamToFastq, OPTION-NAME=value ...

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

fastq_to_bam Undocumented

Convert a pair of fastq paired-end read files and optional text header to a single bam file.

```
usage: read_utils.py fastq_to_bam [-h]
                                (--sampleName SAMPLENAME | --header HEADER)
                                [--JVMmemory JVMMEMORY]
                                [--picardOptions [PICARDOPTIONS [PICARDOPTIONS ...]]]
                                [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                inFastq1 inFastq2 outBam
```

Positional arguments:

inFastq1	Input fastq file; 1st end of paired-end reads.
inFastq2	Input fastq file; 2nd end of paired-end reads.
outBam	Output bam file.

Options:

--sampleName	Sample name to insert into the read group header.
--header	Optional text file containing header.
--JVMmemory=2g	JVM virtual memory size (default: %(default)s)
--picardOptions=[]	Optional arguments to Picard's FastqToSam, OPTION-NAME=value ... Note that header-related options will be overwritten by HEADER if present.
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

split_reads Undocumented

Split fasta or fastq file into chunks of maxReads reads or into numChunks chunks named outPrefix01, outPrefix02, etc. If both maxReads and numChunks are None, use defaultMaxReads. The number of characters in file names after outPrefix is indexLen; if not specified, use defaultIndexLen.

```
usage: read_utils.py split_reads [-h]
                                [--maxReads MAXREADS | --numChunks NUMCHUNKS]
                                [--indexLen INDEXLEN]
                                [--format {fastq,fasta}]
                                [--outSuffix OUTSUFFIX]
                                inFileName outPrefix
```

Positional arguments:

inFileName	Input fastq or fasta file.
outPrefix	Output files will be named \${outPrefix}01\${outSuffix}, \${outPrefix}02\${outSuffix}...

Options:

--maxReads	Maximum number of reads per chunk (default 1000 if neither maxReads nor numChunks is specified).
--numChunks	Number of output files, if maxReads is not specified.
--indexLen=2	Number of characters to append to outputPrefix for each output file (default %(default)s). Number of files must not exceed 10 ^{INDEXLEN} .
--format=fastq	Input fastq or fasta file (default: %(default)s). Possible choices: fastq, fasta
--outSuffix=	Output filename suffix (e.g. .fastq or .fastq.gz). A suffix ending in .gz will cause the output file to be gzip compressed. Default is no suffix.

split_bam Undocumented

Split BAM file equally into several output BAM files.

```
usage: read_utils.py split_bam [-h]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                inBam outBams [outBams ...]
```

Positional arguments:

inBam	Input BAM file.
outBams	Output BAM files

Options:

--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

rmDup_mvicuna_bam Undocumented

Remove duplicate reads from BAM file using M-Vicuna. The primary advantage to this approach over Picard's MarkDuplicates tool is that Picard requires that input reads are aligned to a reference, and M-Vicuna can operate on unaligned reads.

```
usage: read_utils.py rmDup_mvicuna_bam [-h] [--JVMmemory JVMMEMORY]
                                         [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                         [--version] [--tmpDir TMPDIR]
                                         [--tmpDirKeep]
                                         inBam outBam
```

Positional arguments:

inBam	Input reads, BAM format.
outBam	Output reads, BAM format.

Options:

--JVMmemory=4g JVM virtual memory size (default: %(default)s)
--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V show program's version number and exit
--tmpDir=/tmp Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

dup_remove_mvicuna Undocumented

Run mvicuna's duplicate removal operation on paired-end reads.

```
usage: read_utils.py dup_remove_mvicuna [-h]
                                         [--unpairedOutFastq UNPAIREDOUTFASTQ]
                                         [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                         [--version] [--tmpDir TMPDIR]
                                         [--tmpDirKeep]
                                         inFastq1 inFastq2 pairedOutFastq1
                                         pairedOutFastq2
```

Positional arguments:

inFastq1 Input fastq file; 1st end of paired-end reads.
inFastq2 Input fastq file; 2nd end of paired-end reads.
pairedOutFastq1 Output fastq file; 1st end of paired-end reads.
pairedOutFastq2 Output fastq file; 2nd end of paired-end reads.

Options:

--unpairedOutFastq File name of output unpaired reads
--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V show program's version number and exit
--tmpDir=/tmp Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

rmdup_prinseq_fastq Undocumented

Run prinseq-lite's duplicate removal operation on paired-end reads. Also removes reads with more than one N.

```
usage: read_utils.py rmdup_prinseq_fastq [-h]
                                         [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                         [--version] [--tmpDir TMPDIR]
                                         [--tmpDirKeep]
                                         inFastq1 inFastq2 outFastq1 outFastq2
```

Positional arguments:

inFastq1 Input fastq file; 1st end of paired-end reads.

inFastq2 Input fastq file; 2nd end of paired-end reads.
outFastq1 Output fastq file; 1st end of paired-end reads.
outFastq2 Output fastq file; 2nd end of paired-end reads.

Options:

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V show program's version number and exit
--tmpDir=/tmp Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

filter_bam_mapped_only Undocumented

Samtools to reduce a BAM file to only reads that are aligned (-F 4) with a non-zero mapping quality (-q 1) and are not marked as a PCR/optical duplicate (-F 1024).

```
usage: read_utils.py filter_bam_mapped_only [-h]
                                     [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                     [--version] [--tmpDir TMPDIR]
                                     [--tmpDirKeep]
                                     inBam outBam
```

Positional arguments:

inBam Input aligned reads, BAM format.
outBam Output sorted indexed reads, filtered to aligned-only, BAM format.

Options:

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V show program's version number and exit
--tmpDir=/tmp Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

novoalign Undocumented

Align reads with Novoalign. Sort and index BAM output.

```
usage: read_utils.py novoalign [-h] [--options OPTIONS] [--min_qual MIN_QUAL]
                               [--JVMmemory JVMMEMORY]
                               [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                               [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                               inBam refFasta outBam
```

Positional arguments:

inBam Input reads, BAM format.
refFasta Reference genome, FASTA format, pre-indexed by Novoindex.

outBam Output reads, BAM format (aligned).

Options:

--options=-r Random Novoalign options (default: %(default)s)

--min_qual=0 Filter outBam to minimum mapping quality (default: %(default)s)

--JVMmemory=2g JVM virtual memory size (default: %(default)s)

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

novoindex Undocumented

Index a FASTA file (reference genome) for use with Novoalign. The input file name must end in ".fasta". This will create a new ".nix" file in the same directory. If it already exists, it will be deleted and regenerated.

```
usage: read_utils.py novoindex [-h]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                [--version]
                                refFasta
```

Positional arguments:

refFasta Reference genome, FASTA format.

Options:

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

gatk_ug Undocumented

Call genotypes using the GATK UnifiedGenotyper.

```
usage: read_utils.py gatk_ug [-h] [--options OPTIONS] [--JVMmemory JVMMEMORY]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION}]
                                [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                inBam refFasta outVcf
```

Positional arguments:

inBam Input reads, BAM format.

refFasta Reference genome, FASTA format, pre-indexed by Picard.

outVcf Output calls in VCF format. If this filename ends with .gz, GATK will BGZIP compress the output and produce a Tabix index file as well.

Options:

--options=--min_base_quality_score 15 -ploidy 4 UnifiedGenotyper options (default: %(default)s)

--JVMmemory=2g JVM virtual memory size (default: %(default)s)

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

gatk_realign Undocumented

Local realignment of BAM files with GATK IndelRealigner.

```
usage: read_utils.py gatk_realign [-h] [--JVMmemory JVMMEMORY]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, EX}
                                [--version] [--tmpDir TMPDIR] [--tmpDirKeep]
                                inBam refFasta outBam
```

Positional arguments:

inBam Input reads, BAM format, aligned to refFasta.

refFasta Reference genome, FASTA format, pre-indexed by Picard.

outBam Realigned reads.

Options:

--JVMmemory=2g JVM virtual memory size (default: %(default)s)

--loglevel=DEBUG Verboseness of output. [default: %(default)s]
Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

--version, -V show program's version number and exit

--tmpDir=/tmp Base directory for temp files. [default: %(default)s]

--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

align_and_fix Undocumented

Take reads, align to reference with Novoalign, mark duplicates with Picard, realign indels with GATK, and optionally filter final file to mapped/non-dupe reads.

```
usage: read_utils.py align_and_fix [-h] [--outBamAll OUTBAMALL]
                                [--outBamFiltered OUTBAMFILTERED]
                                [--novoalign_options NOVOALIGN_OPTIONS]
                                [--JVMmemory JVMMEMORY]
                                [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL, E}
                                [--version] [--tmpDir TMPDIR]
                                [--tmpDirKeep]
                                inBam refFasta
```

Positional arguments:

inBam	Input unaligned reads, BAM format.
refFasta	Reference genome, FASTA format, pre-indexed by Picard and Novoalign.

Options:

--outBamAll	Aligned, sorted, and indexed reads. Unmapped reads are retained and duplicate reads are marked, not removed.
--outBamFiltered	Aligned, sorted, and indexed reads. Unmapped reads and duplicate reads are removed from this file.
--novoalign_options=-r Random	Novoalign options (default: %(default)s)
--JVMmemory=4g	JVM virtual memory size (default: %(default)s)
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

1.3.6 reports.py - produce various metrics and reports

Reports

```
usage: reports.py subcommand
```

Sub-commands:

assembly_stats Undocumented

Fetch assembly-level statistics for a given sample

```
usage: reports.py assembly_stats [-h]
                                [--cov_thresholds COV_THRESHOLDS [COV_THRESHOLDS ...]]
                                [--assembly_dir ASSEMBLY_DIR]
                                [--assembly_tmp ASSEMBLY_TMP]
                                [--align_dir ALIGN_DIR]
                                [--reads_dir READS_DIR]
                                [--raw_reads_dir RAW_READS_DIR]
                                samples [samples ...] outFile
```

Positional arguments:

samples	Sample names.
outFile	Output report file.

Options:

--cov_thresholds=(1, 5, 20, 100)	Genome coverage thresholds to report on. (default: %(default)s)
--assembly_dir=data/02_assembly	Directory with assembly outputs. (default: %(default)s)

--assembly_tmp=tmp/02_assembly Directory with assembly temp files. (default: %(default)s)

--align_dir=data/02_align_to_self Directory with reads aligned to own assembly. (default: %(default)s)

--reads_dir=data/01_per_sample Directory with unaligned filtered read BAMs. (default: %(default)s)

--raw_reads_dir=data/00_raw Directory with unaligned raw read BAMs. (default: %(default)s)

consolidate_fastqc Undocumented

Consolidate multiple FASTQC reports into one.

usage: reports.py consolidate_fastqc [-h] inDirs [inDirs ...] outFile

Positional arguments:

inDirs	Input FASTQC directories.
outFile	Output report file.

consolidate_spike_count Undocumented

Consolidate multiple spike count reports into one.

usage: reports.py consolidate_spike_count [-h] inDir outFile

Positional arguments:

inDir	Input spike count directory.
outFile	Output report file.

1.3.7 broad_utils.py - for data generated at the Broad Institute

Utilities for getting sequences out of the Broad walk-up sequencing pipeline. These utilities are probably not of much use outside the Broad.

usage: broad_utils.py subcommand

Sub-commands:

get_bustard_dir Undocumented

Find the basecalls directory from a Picard directory

usage: broad_utils.py get_bustard_dir [-h]
 [--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL}] inDir

Positional arguments:

inDir	Picard directory
--------------	------------------

Options:

--loglevel=ERROR	Verboseness of output. [default: %(default)s]
	Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION

get_run_date Undocumented

Find the sequencing run date from a Picard directory

```
usage: broad_utils.py get_run_date [-h]
                                   [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                   inDir
```

Positional arguments:

inDir	Picard directory
--------------	------------------

Options:

--loglevel=ERROR	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
-------------------------	---

get_all_names Undocumented

Get all samples

```
usage: broad_utils.py get_all_names [-h]
                                   [--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL,EXCEPTION}]
                                   {samples,libraries,runs} runfile
```

Positional arguments:

type	Type of name Possible choices: samples, libraries, runs
runfile	File with seq run information

Options:

--loglevel=ERROR	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
-------------------------	---

make_barcodes_file Undocumented

Create input file for extract_barcodes

```
usage: broad_utils.py make_barcodes_file [-h] inFile outFile
```

Positional arguments:

inFile	Input tab file w/header and 3-5 named columns (last two are optional): sample, barcode_1, barcode_2, library_id_per_sample, run_id_per_library
outFile	Output BARCODE_FILE file for Picard.

extract_barcodes Undocumented

Match every read in a lane against their barcode.

```
usage: broad_utils.py extract_barcodes [-h] [--outMetrics OUTMETRICS]
                                         [--read_structure READ_STRUCTURE]
                                         [--max_mismatches MAX_MISMATCHES]
                                         [--minimum_base_quality MINIMUM_BASE_QUALITY]
                                         [--min_mismatch_delta MIN_MISMATCH_DELTA]
                                         [--max_no_calls MAX_NO_CALLS]
                                         [--minimum_quality MINIMUM_QUALITY]
                                         [--compress_outputs COMPRESS_OUTPUTS]
                                         [--num_processors NUM_PROCESSORS]
                                         [--JVMmemory JVMMEMORY]
```

```

[--loglevel {DEBUG, INFO, WARNING, ERROR, CRITICAL}]
[--version] [--tmpDir TMPDIR]
[--tmpDirKeep]
inDir lane barcodeFile outDir

```

Positional arguments:

inDir	Bustard directory.
lane	Lane number.
barcodeFile	Input tab file w/header and four named columns: barcode_name, library_name, barcode_sequence_1, barcode_sequence_2
outDir	Output directory for barcodes.

Options:

--outMetrics	Output metrics file. Default is to dump to a temp file.
--read_structure=101T8B8B101T	Picard ExtractIlluminaBarcodes READ_STRUCTURE (default: %(default)s)
--max_mismatches=1	Picard ExtractIlluminaBarcodes MAX_MISMATCHES (default: %(default)s)
--minimum_base_quality=15	Picard ExtractIlluminaBarcodes MINIMUM_BASE_QUALITY (default: %(default)s)
--min_mismatch_delta	Picard ExtractIlluminaBarcodes MIN_MISMATCH_DELTA (default: %(default)s)
--max_no_calls	Picard ExtractIlluminaBarcodes MAX_NO_CALLS (default: %(default)s)
--minimum_quality	Picard ExtractIlluminaBarcodes MINIMUM_QUALITY (default: %(default)s)
--compress_outputs	Picard ExtractIlluminaBarcodes COMPRESS_OUTPUTS (default: %(default)s)
--num_processors=4	Picard ExtractIlluminaBarcodes NUM_PROCESSORS (default: %(default)s)
--JVMmemory=8g	JVM virtual memory size (default: %(default)s)
--loglevel=DEBUG	Verboseness of output. [default: %(default)s] Possible choices: DEBUG, INFO, WARNING, ERROR, CRITICAL, EXCEPTION
--version, -V	show program's version number and exit
--tmpDir=/tmp	Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False	Keep the tmpDir if an exception occurs while running. Default is to delete all temp files at the end, even if there's a failure.

make_params_file Undocumented

Create input file for illumina_basecalls

```
usage: broad_utils.py make_params_file [-h] inFile bamDir outFile
```

Positional arguments:

inFile	Input tab file w/header and four named columns: barcode_name, library_name, barcode_sequence_1, barcode_sequence_2
bamDir	Directory for output bams
outFile	Output LIBRARY_PARAMS file for Picard

illumina_basecalls Undocumented

Demultiplex Illumina runs & produce BAM files, one per sample

```
usage: broad_utils.py illumina_basecalls [-h]
                                         [--read_structure READ_STRUCTURE]
                                         [--sequencing_center SEQUENCING_CENTER]
                                         [--adapters_to_check [ADAPTERS_TO_CHECK [A
                                         [--platform PLATFORM]
                                         [--max_reads_in_ram_per_tile MAX_READS_IN_
                                         [--max_records_in_ram MAX_RECORDS_IN_RAM]
                                         [--num_processors NUM_PROCESSORS]
                                         [--apply_eamss_filter APPLY_EAMSS_FILTER]
                                         [--force_gc FORCE_GC]
                                         [--first_tile FIRST_TILE]
                                         [--tile_limit TILE_LIMIT]
                                         [--include_non_pf_reads INCLUDE_NON_PF_REA
                                         [--run_start_date RUN_START_DATE]
                                         [--read_group_id READ_GROUP_ID]
                                         [--JVMmemory JVMMEMORY]
                                         [--loglevel {DEBUG,INFO,WARNING,ERROR,CRIT
                                         [--version] [--tmpDir TMPDIR]
                                         [--tmpDirKeep]
                                         inBustardDir inBarcodesDir flowcell
                                         lane paramsFile
```

Positional arguments:

inBustardDir	Bustard directory.
inBarcodesDir	Barcodes directory.
flowcell	Flowcell ID
lane	Lane number.
paramsFile	Input tab file w/header and five named columns: BAR-CODE_1, BARCODE_2, OUTPUT, SAMPLE_ALIAS, LI-BRARY_NAME

Options:

--read_structure=101T8B8B101T	Picard ExtractIlluminaBarcodes READ_STRUCTURE (default: %(default)s)
--sequencing_center=BI	Picard ExtractIlluminaBarcodes SEQUENCING_CENTER (default: %(default)s)
--adapters_to_check=('PAIRED_END', 'NEXTERA_V1', 'NEXTERA_V2')	Picard ExtractIlluminaBarcodes ADAPTERS_TO_CHECK (default: %(default)s)
--platform	Picard ExtractIlluminaBarcodes PLATFORM (default: %(de-fault)s)

```

--max_reads_in_ram_per_tile=100000 Picard ExtractIlluminaBarcodes
MAX_READS_IN_RAM_PER_TILE (default: %(default)s)
--max_records_in_ram=100000 Picard ExtractIlluminaBarcodes
MAX_RECORDS_IN_RAM (default: %(default)s)
--num_processors=4 Picard ExtractIlluminaBarcodes NUM_PROCESSORS (de-
fault: %(default)s)
--apply_eamss_filter Picard ExtractIlluminaBarcodes APPLY_EAMSS_FILTER
(default: %(default)s)
--force_gc=False Picard ExtractIlluminaBarcodes FORCE_GC (default: %(de-
fault)s)
--first_tile Picard ExtractIlluminaBarcodes FIRST_TILE (default: %(de-
fault)s)
--tile_limit Picard ExtractIlluminaBarcodes TILE_LIMIT (default: %(de-
fault)s)
--include_non_pf_reads Picard ExtractIlluminaBarcodes IN-
CLUDE_NON_PF_READS (default: %(default)s)
--run_start_date Picard ExtractIlluminaBarcodes RUN_START_DATE (default:
%(default)s)
--read_group_id Picard ExtractIlluminaBarcodes READ_GROUP_ID (default:
%(default)s)
--JVMmemory=54g JVM virtual memory size (default: %(default)s)
--loglevel=DEBUG Verboseness of output. [default: %(default)s]

Possible choices: DEBUG, INFO, WARNING, ERROR, CRIT-
ICAL, EXCEPTION
--version, -V show program's version number and exit
--tmpDir=/tmp Base directory for temp files. [default: %(default)s]
--tmpDirKeep=False Keep the tmpDir if an exception occurs while running. Default
is to delete all temp files at the end, even if there's a failure.

```

1.4 Using the Snakemake pipelines

Much more documentation to come...

This utilizes Snakemake, which is documented at <https://bitbucket.org/johanneskoester/snakemake/wiki/Home>

Note that Python 3.4 is required to use these tools with Snakemake.

- 1.4.1 Setting up an analysis directory**
- 1.4.2 Configuring for your compute platform**
- 1.4.3 Assembly of pre-filtered reads**
- 1.4.4 Taxonomic filtration of raw reads**
- 1.4.5 Starting from Illumina BCL directories**